

號碼(No.): ETF21A00041 日期(Date): 09-Nov-2021 頁數(Page): 1 of 7

### **Test Report**

中華紙漿股份有限公司 (CHUNG HWA PULP CORPORATION) 台北市中正區重慶南路三段51號12樓 (12F., NO. 51, SEC. 2, CHUNGCHING S. RD., ZHONGZHENG DISTRICT, TAIPEI CITY 100, TAIWAN, R. O. C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Description) : COATED SOLID CARD BOARD (全白紙板類)

樣品包裝/數量(Sample : 請參考報告末頁樣品照片 (PLEASE REFER TO THE SAMPLE PHOTO AT THE

Package/Quantity) END OF THE REPORT ) / -

樣品保存方式(Sample Packaging) : 常溫 ( AMBIENT TEMP. )

樣品材質(Sample Material) : 紙 ( PAPER )

送樣廠商(Sample Submitted By) : 中華紙漿股份有限公司 ( CHUNG HWA PULP CORPORATION )

送樣廠商地址/電話/聯絡人(Company : -/-/-

Add/Tel/Contact Person)

製造日期(Manufacturing Date) : -有效日期(Expiry Date) : -生產或供應廠商(Manufacturer/Vendor) : -

應用於(Used For) : 普白色豐美白卡/單銅T/豐美食品白卡

\_\_\_\_\_\_

收件日(Sample Receiving Date) : 29-Oct-2021

測試期間(Testing Period) : 29-Oct-2021 to 09-Nov-2021

#### 測試需求 (Test Requested)

依據客戶指定,參考中華民國食品器具容器包裝衛生標準 (102.08.20部授食字第1021350146號令修正) 進行測試。測試項目請參閱測試結果表格。 (As specified by client, with reference to Sanitation Standard for Food Utensils, Containers and Packages (MOHW Food No. 1021350146, amended on 2013/08/20) to conduct test. Please refer to the result table(s) for testing item(s).)

測試結果(Test Results) : 請見下一頁。(Please refer to next page(s).)





DINI CODE: 99948EU

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com.tw/terms-of-service">https://www.sgs.com.tw/terms-of-service</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7<sup>th</sup> Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



號碼(No.): ETF21A00041 日期(Date): 09-Nov-2021

頁數(Page): 2 of 7

# **Test Report**

中華紙漿股份有限公司 (CHUNG HWA PULP CORPORATION) 台北市中正區重慶南路三段51號12樓 (12F., NO. 51, SEC. 2, CHUNGCHING S. RD., ZHONGZHENG DISTRICT, TAIPEI CITY 100, TAIWAN, R. O. C.)

#### 測試部位敘述(Test Part Description)

No.1 : 白色紙板 (WHITE CARDBOARD)

#### 測試結果(Test Results)

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	LOQ/ LOD	結果 (Result) No.1	食品衛生 法規 (Limit)
★螢光增白劑 / Fluorescent Brightening Agents	食品器具、容器、包裝檢驗方法-未以塑膠 淋膜紙類製品之檢驗 (107年9月27日衛授 食字第1071901922號公告)。/ With reference to Methods of Test for Food Utensils, Containers and Packages - Test of Plastic Uncoated Paper Products (MOHW Food No. 1071901922 announced, September 27, 2018).	1	-	未檢出 / Negative	不得檢出 / Negative
★重金屬(以鉛計)-(4%醋酸, 60°C, 30分鐘) / Heavy metal (as Pb)-(4% acetic acid, 60°C, 30 min)		ppm	-	<1	1
★蒸發殘渣-(正庚烷, 25℃, 1小時) / Evaporation residue-(n-Heptane, 25℃, 1 hr)		ppm	3	4	30
★氯仿可溶物-(水, 60°C, 30分鐘) / Chloroform soluble-(water, 60°C, 30 min)		ppm	3	n.d.	40
★氯仿可溶物-(4%醋酸, 60°C, 30分鐘) / Chloroform soluble-(4% acetic acid, 60°C, 30 min)		ppm	3	3	40
★氯仿可溶物-(20%酒精, 60°C, 30分鐘) / Chloroform soluble-(20% alcohol, 60°C, 30 min)		ppm	3	n.d.	40
★砷以As <sub>2</sub> O <sub>3</sub> 計-(水, 60°C, 30分鐘) / Arsenic (As) (as As <sub>2</sub> O <sub>3</sub> )-(water, 60°C, 30 min)	食品器具、容器、包裝檢驗方法-未以塑膠 淋膜紙類製品之檢驗 (107年9月27日衛授 食字第1071901922號公告)·以感應耦合 電漿儀質譜分析。/ With reference to Methods of Test for Food Utensils,	ppm	0.02*	n.d.	0.1
★砷以As <sub>2</sub> O <sub>3</sub> 計-(4%醋酸, 60°C, 30分鐘) / Arsenic (As) (as As <sub>2</sub> O <sub>3</sub> )-(4% acetic acid, 60°C, 30 min)	Containers and Packages - Test of Plastic Uncoated Paper Products (MOHW Food No. 1071901922 announced, September 27, 2018), analysis was performed by ICP-MS.	ppm	0.02*	n.d.	0.1



號碼(No.): ETF21A00041 日期(Date): 09-Nov-2021 頁數(Page): 3 of 7

## **Test Report**

中華紙漿股份有限公司 (CHUNG HWA PULP CORPORATION) 台北市中正區重慶南路二段51號12樓 (12F., NO. 51, SEC. 2, CHUNGCHING S. RD., ZHONGZHENG DISTRICT, TAIPEI CITY 100, TAIWAN, R. O. C.)

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	LOQ/ LOD	結果 (Result) No.1	食品衛生 法規 (Limit)
★甲醛-(水, 60°C, 30分鐘) / Formaldehyde- (water, 60°C, 30 min)	食品器具、容器、包裝檢驗方法-未以塑膠 淋膜紙類製品之檢驗 (107年9月27日衛授 食字第1071901922號公告)·以分光光度 計分析。/ With reference to Methods of Test for Food Utensils, Containers and Packages - Test of Plastic Uncoated Paper Products (MOHW Food No. 1071901922 announced, September 27, 2018), analysis was performed by spectrophotometer.	ppm	4	n.d.	陰性 / Negative

#### 備註(Note):

- 1. 檢驗報告僅就委託者之委託事項提供檢驗結果,不對產品合法性做判斷。(The test report merely reflects the test results of the consigned matters of the client and is not a certification of the legitimacy of the related products.)
- 2. 本檢驗報告之所有檢驗內容,均依委託事項執行檢驗,如有不實,願意承擔完全責任。(All contents in the test report are conducted according to the customer-specified items. If there is any falsehood, we are willing to take corresponding responsibility.)
- 3. mg/kg = ppm; 0.1wt% = 1000 ppm
- 4. LOQ = 定量極限·若該測試項目屬於定量分析則以「LOQ」表示; LOD = 偵測極限·若該測試項目屬於定性分析則以「LOD」表示。(LOQ = Limit of Quantification, for quantitative analyses; LOD = Limit of Detection, for qualitative analyses.)
- 5. n.d. = Not Detected (未檢出) = Less than (小於) LOQ/LOD = Negative (陰性)
- 6. "-" = Not Regulated (無規格值)
- 7. \*\*= Qualitative analysis (No Unit) / 定性分析 (無單位)
- 8. Negative = 未檢出 / 陰性; Positive = 檢出 / 陽性
- 9. "\*" = 以As為分析物 / Arsenic is the target analyte.



號碼(No.): ETF21A00041 日期(Date): 09-Nov-2021 頁數(Page): 4 of 7

## **Test Report**

中華紙漿股份有限公司 (CHUNG HWA PULP CORPORATION) 台北市中正區重慶南路三段51號12樓 (12F., NO. 51, SEC. 2, CHUNGCHING S. RD., ZHONGZHENG DISTRICT, TAIPEI CITY 100, TAIWAN, R. O. C.)

- 10. 測試項目名稱旁有★者·為本實驗室通過衛生福利部食品藥物管理署認證項目。 (The test method marked with ★ is accredited by MOHW.)
- 11. 法規標準值係依據衛生福利部食品藥物管理署102年08月20日部授食字第1021350146號令 食品器具容器包裝衛生標準之法規限值。 (The limit value(s) is/are according to "Sanitation Standard for Food Utensils, Containers and Packages (MOHW Food No. 1021350146, amended on 2013/08/20)", Taiwan Food and Drug Administration, Ministry of Health and Welfare.)
- 12. 此用途為自主品管報告。 (This testing report is subject to independent quality control.)



號碼(No.): ETF21A00041

日期(Date): 09-Nov-2021


頁數(Page): 5 of 7

# **Test Report**


中華紙漿股份有限公司 (CHUNG HWA PULP CORPORATION) 台北市中正區重慶南路三段51號12樓 (12F., NO. 51, SEC. 2, CHUNGCHING S. RD., ZHONGZHENG DISTRICT, TAIPEI CITY 100, TAIWAN, R. O. C.)

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位。 \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

### ETF21A00041



#### ETF21A00041



\*\* 報告結尾 (End of Report) \*\*



號碼(No.): ETF21A00041 日期(Date): 09-Nov-2021

頁數(Page): 6 of 7

# **Test Report**

中華紙漿股份有限公司 (CHUNG HWA PULP CORPORATION) 台北市中正區重慶南路三段51號12樓 (12F., NO. 51, SEC. 2, CHUNGCHING S. RD., ZHONGZHENG DISTRICT, TAIPEI CITY 100, TAIWAN, R. O. C.)

以下為申請廠商委託測試項目、測試方法、定量/偵測極限:

(The information requested from client is shown as below:)

#### ETF21A00041

測試項目 (Test Items)	測試方法 (Method)	LOQ/LOD
★螢光增白劑 / Fluorescent Brightening Agents  ★重金屬(以鉛計)-(4%醋酸, 60°C, 30分鐘) / Heavy metal (as Pb)-(4% acetic acid, 60°C, 30 min)  ★蒸發殘渣-(正庚烷, 25°C, 1小時) / Evaporation residue-(n-Heptane, 25°C, 1 hr)  ★氯仿可溶物-(水, 60°C, 30分鐘) / Chloroform soluble-(water, 60°C, 30 min)  ★氯仿可溶物-(4%醋酸, 60°C, 30分鐘) / Chloroform soluble-(4% acetic acid, 60°C, 30 min)  ★氯仿可溶物-(20%酒精, 60°C, 30分鐘) / Chloroform soluble-(20% alcohol, 60°C, 30 min)		詳見測試結果之定量/偵測極限。(Please refer to the result table above.)
★碑以As <sub>2</sub> O <sub>3</sub> 計-(水, 60°C, 30分鐘) / Arsenic (As) (as As <sub>2</sub> O <sub>3</sub> )-(water, 60°C, 30 min)	食品器具、容器、包裝檢驗方法-未以塑膠淋膜紙類製品之檢驗 (107年9月27日衛授食字第1071901922號公告)·以感應耦合電漿儀質譜分析。/ With reference to Methods of Test for	
★甲醛-(水, 60°C, 30分鐘) / Formaldehyde- (water, 60°C, 30 min)	Food Utensils, Containers and Packages - Test of Plastic Uncoated Paper Products (MOHW Food No. 1071901922 announced, September 27, 2018), analysis was performed by ICP-MS.	



號碼(No.): ETF21A00041

日期(Date): 09-Nov-2021

頁數(Page): 7 of 7

# **Test Report**

中華紙漿股份有限公司 (CHUNG HWA PULP CORPORATION) 台北市中正區重慶南路三段51號12樓 (12F., NO. 51, SEC. 2, CHUNGCHING S. RD., ZHONGZHENG DISTRICT, TAIPEI CITY 100, TAIWAN, R. O. C.)

測試項目 (Test Items)	測試方法 (Method)	LOQ/LOD
60°C, 30 min)	Food Utensils. Containers and Packages - Test of	詳見測試結果之定量/偵測極限。(Please refer to the result table above.)

測試項目名稱旁有★者·為本實驗室通過衛生福利部食品藥物管理署認證項目。(The test method marked with ★ is accredited by MOHW.)